




TEREX

AC55-1

CE

55 METRIC TONS

		7t75		10,3m → 32,6m		≤ 31m		Mode 1		300 AC
--	--	------	--	---------------	--	-------	--	--------	--	--------

	T2 = 0% T3 = 0% T4 = 0% T5 = 0%		T2 = 47% T3 = 0% T4 = 0% T5 = 0%		T2 = 93% T3 = 0% T4 = 0% T5 = 0%		T2 = 93% T3 = 23% T4 = 23% T5 = 0%		T2 = 93% T3 = 47% T4 = 47% T5 = 0%		T2 = 93% T3 = 70% T4 = 70% T5 = 0%		
	10,3 m / (12)*		13,8 m / (9)*		17,2 m / (9)*		20,6 m / (8)*		24,2 m / (7)*		27,6 m / (6)*		
													
	80,54	51,20	80,54	36,43	80,54	35,08	80,54	36,00	80,54	29,65	80,54	23,50	
3,0	63,20	51,20	69,70	40,20	74,13	37,75	76,31	36,00					3,0
3,5	59,90	47,20	67,50	41,20	72,56	37,30	75,06	33,10	78,04	29,65			3,5
4,0	56,40	42,75	65,31	41,25	70,90	34,80	73,70	30,55	76,90	27,65			4,0
4,5	52,80	38,50	63,11	38,50	69,24	32,10	72,34	28,50	75,66	25,80	79,60	23,50	4,5
5,0	48,90	35,95	60,72	35,95	67,58	29,95	71,09	26,60	74,52	24,05	78,50	22,00	5,0
6,0	40,10	30,70	55,83	28,40	64,05	25,90	68,37	23,60	72,14	21,35	76,30	19,70	6,0
7,0	28,80	23,80	50,65	22,60	60,43	20,70	65,56	19,95	69,66	19,15	74,10	17,65	7,0
8,0			44,86	17,95	56,70	17,05	62,64	16,55	67,29	16,00	72,00	15,50	8,0
9,0			38,27	14,55	52,68	14,15	59,73	13,80	64,71	13,45	69,70	13,10	9,0
10,0			30,09	12,05	48,25	11,60	56,61	11,70	62,13	11,45	67,40	11,20	10,0
11,0			17,70	10,00	43,53	9,60	53,30	9,95	59,45	9,85	64,60	9,70	11,0
12,0					38,10	8,10	49,79	8,40	56,67	8,60	62,70	8,45	12,0
13,0					31,58	6,85	46,07	7,15	53,79	7,40	60,20	7,45	13,0
14,0					22,85	5,85	41,96	6,15	50,81	6,35	57,70	6,55	14,0
15,0							37,44	5,30	47,64	5,50	55,10	5,70	15,0
16,0							32,03	4,55	44,16	4,80	52,30	4,95	16,0
17,0							25,21	3,95	40,48	4,15	49,50	4,35	17,0
18,0							13,70	3,45	36,40	3,65	46,50	3,80	18,0
19,0									31,82	3,20	43,30	3,35	19,0
20,0									26,34	2,75	39,90	2,95	20,0
21,0									18,86	2,40	36,20	2,55	21,0
22,0											32,00	2,25	22,0
23,0											27,20	1,95	23,0
24,0											21,00	1,70	24,0
25,0											10,80	1,45	25,0
26,0													26,0
mini	0,00	13,70	0,00	8,77	0,00	4,85	0,00	3,15	0,00	1,90	0,00	1,20	mini





TEREX

AC55-1

CE

55 METRIC TONS

						Mode 1		300 AC
--	--	--	--	--	--	-----------	--	-----------

	T2 = 93% T3 = 93% T4 = 93% T5 = 0%		T2 = 100% T3 = 100% T4 = 100% T5 = 0%		
	31 m / (4)*		32,6 m / (4)*		
	80,54	18,30	80,54	16,60	
3,0					3,0
3,5					3,5
4,0					4,0
4,5					4,5
5,0	80,46	18,30			5,0
6,0	78,57	18,00	78,81	16,60	6,0
7,0	76,50	16,30	76,98	15,50	7,0
8,0	74,53	14,90	75,04	14,20	8,0
9,0	72,47	12,75	73,20	12,50	9,0
10,0	70,40	10,95	71,26	10,75	10,0
11,0	68,33	9,50	69,33	9,35	11,0
12,0	66,17	8,35	67,39	8,20	12,0
13,0	64,00	7,35	65,35	7,25	13,0
14,0	61,83	6,50	63,21	6,40	14,0
15,0	59,57	5,80	61,18	5,70	15,0
16,0	57,20	5,10	59,04	5,10	16,0
17,0	54,83	4,50	56,80	4,50	17,0
18,0	52,37	3,95	54,56	3,95	18,0
19,0	49,80	3,50	52,23	3,50	19,0
20,0	47,13	3,05	49,79	3,10	20,0
21,0	44,37	2,70	47,35	2,70	21,0
22,0	41,30	2,40	44,71	2,40	22,0
23,0	38,13	2,10	41,98	2,10	23,0
24,0	34,77	1,80	39,04	1,80	24,0
25,0	31,00	1,55	35,80	1,60	25,0
26,0	26,63	1,35	32,36	1,35	26,0
27,0	21,47	1,15	28,53	1,15	27,0
28,0	14,30	0,95	24,09	0,95	28,0
29,0			18,45	0,80	29,0
30,0					30,0
32,0					32,0
mini	0,00	0,60	16,50		mini





TEREX

AC55-1

CE

55 METRIC TONS

		7t75			10,3m → 40m		≤ 31m		†	Mode	2		300 AC
--	--	------	--	--	-------------	--	-------	--	---	------	---	--	-----------

	T2 = 0% T3 = 0% T4 = 0% T5 = 0%		T2 = 0% T3 = 16% T4 = 16% T5 = 16%		T2 = 0% T3 = 31% T4 = 31% T5 = 31%		T2 = 0% T3 = 47% T4 = 47% T5 = 47%		T2 = 0% T3 = 62% T4 = 62% T5 = 62%		T2 = 0% T3 = 78% T4 = 78% T5 = 78%		
	10,3 m / (12)*		13,8 m / (5)*		17,2 m / (5)*		20,8 m / (5)*		24,1 m / (4)*		27,7 m / (4)*		
													
	80,54	51,20	80,54	13,51	80,54	13,70	80,54	14,01	80,54	14,47	80,54	14,65	
3,0	63,20	51,20	70,90	14,70	74,45	14,45	77,17	14,50					3,0
3,5	59,90	47,20	68,66	15,05	72,70	14,75	75,70	14,75	78,12	15,05			3,5
4,0	56,40	42,75	66,41	15,40	71,05	15,00	74,33	15,00	76,86	15,30			4,0
4,5	52,80	38,50	64,17	15,85	69,31	15,35	72,86	15,25	75,70	15,55	78,90	15,60	4,5
5,0	48,90	35,95	61,83	16,40	67,56	15,70	71,49	15,55	74,44	15,90	77,80	15,95	5,0
6,0	40,10	30,70	56,94	17,65	63,96	16,50	68,55	16,25	72,02	16,55	75,60	16,75	6,0
7,0	28,80	23,80	51,66	19,35	60,17	17,50	65,61	17,00	69,49	17,30	73,40	17,15	7,0
8,0			45,87	19,40	56,18	18,75	62,57	17,95	66,97	17,85	71,20	15,65	8,0
9,0			39,29	15,90	52,08	16,20	59,43	15,90	64,45	15,40	68,90	14,30	9,0
10,0			31,20	13,35	47,59	13,60	56,10	13,70	61,73	13,35	66,60	12,95	10,0
11,0			19,41	11,30	42,59	11,60	52,66	11,75	59,00	11,70	64,30	11,35	11,0
12,0					37,10	9,95	49,02	10,10	56,18	10,30	61,90	10,10	12,0
13,0					30,51	8,65	45,08	8,80	53,26	8,95	59,40	9,00	13,0
14,0					21,61	7,60	40,84	7,75	50,14	7,90	56,90	7,95	14,0
15,0							36,10	6,85	46,91	7,00	54,30	7,10	15,0
16,0							30,66	6,10	43,39	6,25	51,60	6,35	16,0
17,0							24,02	5,50	39,67	5,60	48,70	5,70	17,0
18,0							13,58	4,90	35,45	5,05	45,70	5,10	18,0
19,0									30,72	4,55	42,60	4,65	19,0
20,0									25,00	4,15	39,20	4,20	20,0
21,0									17,18	3,75	35,40	3,85	21,0
22,0											31,30	3,50	22,0
23,0											26,50	3,20	23,0
24,0											20,50	2,90	24,0
25,0											10,90	2,65	25,0
26,0													26,0
mini	0,00	13,70	0,00	9,58	0,00	6,55	0,00	4,45	0,00	3,25	0,00	2,35	mini







TEREX

AC55-1

CE

55 METRIC TONS

		7t75		10,3m → 40m		≤ 31m		Mode 2		300 AC
---	---	------	---	-------------	--	-------	---	-----------	---	-----------

	T2 = 0% T3 = 93% T4 = 93% T5 = 93%		T2 = 47% T3 = 93% T4 = 93% T5 = 93%		T2 = 93% T3 = 93% T4 = 93% T5 = 93%		T2 = 100% T3 = 100% T4 = 100% T5 = 100%		
	31 m / (4)*		34,5 m / (3)*		37,9 m / (3)*		40,0 m / (3)*		
									
	80,54	16,40	80,54	13,70	80,54	11,45	80,54	10,00	
3,0									3,0
3,5									3,5
4,0									4,0
4,5									4,5
5,0									5,0
6,0	77,65	16,40	79,17	13,70					6,0
7,0	75,80	14,90	77,75	13,75					7,0
8,0	73,85	13,60	76,12	13,75	77,74	11,45	77,89	10,00	8,0
9,0	72,00	12,60	74,30	12,85	76,49	11,05	76,67	10,00	9,0
10,0	70,05	11,50	72,58	11,75	74,74	10,50	75,44	9,60	10,0
11,0	68,00	10,60	70,75	10,35	73,09	9,65	73,92	9,35	11,0
12,0	66,05	9,85	68,83	9,20	71,45	8,55	72,40	8,40	12,0
13,0	63,90	8,85	67,01	8,20	69,70	7,65	70,88	7,50	13,0
14,0	61,85	7,95	65,18	7,35	68,05	6,85	69,26	6,70	14,0
15,0	59,70	7,15	63,26	6,65	66,31	6,15	67,63	6,05	15,0
16,0	57,45	6,40	61,34	6,05	64,46	5,55	66,01	5,45	16,0
17,0	55,20	5,75	59,31	5,45	62,71	5,05	64,39	4,95	17,0
18,0	52,85	5,20	57,29	4,90	60,86	4,55	62,67	4,50	18,0
19,0	50,40	4,70	55,16	4,40	59,02	4,15	61,04	4,10	19,0
20,0	47,85	4,30	52,94	4,00	57,17	3,70	59,32	3,70	20,0
21,0	45,10	3,90	50,72	3,60	55,22	3,35	57,50	3,30	21,0
22,0	42,25	3,55	48,39	3,25	53,18	3,00	55,68	3,00	22,0
23,0	39,20	3,25	45,97	2,95	51,13	2,70	53,86	2,70	23,0
24,0	35,85	2,95	43,45	2,70	49,08	2,40	51,93	2,40	24,0
25,0	32,20	2,70	40,82	2,45	46,84	2,20	49,91	2,15	25,0
26,0	27,95	2,50	38,00	2,20	44,59	1,95	47,99	1,95	26,0
27,0	22,80	2,30	34,88	2,00	42,24	1,75	45,87	1,75	27,0
28,0	15,75	2,10	31,55	1,80	39,69	1,55	43,64	1,55	28,0
29,0			27,83	1,65	37,05	1,40	41,42	1,35	29,0
30,0			23,41	1,45	34,20	1,20	39,00	1,20	30,0
32,0			8,06	1,15	27,71	0,90	33,76	0,90	32,0
34,0					19,11	0,65	27,51	0,65	34,0
36,0									36,0
mini	0,00	1,75	0,00	0,90	17,00		25,50		mini






TEREX

AC55-1

CE

55 METRIC TONS

		11t6		10,3m → 32,6m			Mode 1		100 AC
--	--	------	--	---------------	--	--	-----------	--	-----------

	T2 = 0% T3 = 0% T4 = 0% T5 = 0%		T2 = 47% T3 = 0% T4 = 0% T5 = 0%		T2 = 93% T3 = 0% T4 = 0% T5 = 0%		T2 = 93% T3 = 23% T4 = 23% T5 = 0%		T2 = 93% T3 = 47% T4 = 47% T5 = 0%		T2 = 93% T3 = 70% T4 = 70% T5 = 0%		
	10,3 m / (12)*		13,8 m / (9)*		17,2 m / (9)*		20,6 m / (9)*		24,2 m / (7)*		27,6 m / (6)*		
													
	80,54	51,20	80,54	36,43	80,54	35,08	80,54	36,00	80,54	29,65	80,54	23,50	
3,0	63,20	51,20	69,70	40,20	74,13	37,75	76,31	36,00					3,0
3,5	59,90	47,25	67,50	41,20	72,56	37,30	75,06	33,10	78,04	29,65			3,5
4,0	56,40	42,75	65,31	41,25	70,90	34,80	73,70	30,55	76,90	27,65			4,0
4,5	52,80	38,50	63,11	38,50	69,24	32,10	72,34	28,50	75,66	25,80	79,60	23,50	4,5
5,0	48,90	36,00	60,72	36,00	67,58	29,95	71,09	26,60	74,52	24,05	78,50	22,00	5,0
6,0	40,10	31,40	55,83	31,40	64,05	26,60	68,37	23,60	72,14	21,35	76,30	19,70	6,0
7,0	28,80	27,35	50,65	26,25	60,43	23,60	65,56	20,95	69,66	19,15	74,10	17,65	7,0
8,0			44,86	21,40	56,70	20,45	62,64	18,95	67,29	17,15	72,00	16,00	8,0
9,0			38,27	17,45	52,68	17,05	59,73	16,85	64,71	15,70	69,70	14,45	9,0
10,0			30,09	14,60	48,25	14,20	56,61	14,55	62,13	14,20	67,40	13,20	10,0
11,0			17,70	12,40	43,53	12,05	53,30	12,35	59,45	12,45	64,60	12,20	11,0
12,0					38,10	10,30	49,79	10,60	56,67	10,85	62,70	10,75	12,0
13,0					31,58	8,90	46,07	9,20	53,79	9,45	60,20	9,55	13,0
14,0					22,85	7,70	41,96	8,00	50,81	8,25	57,70	8,40	14,0
15,0							37,44	7,00	47,64	7,20	55,10	7,40	15,0
16,0							32,03	6,15	44,16	6,35	52,30	6,55	16,0
17,0							25,21	5,45	40,48	5,65	49,50	5,80	17,0
18,0							13,70	4,80	36,40	5,00	46,50	5,20	18,0
19,0									31,82	4,45	43,30	4,65	19,0
20,0									26,34	3,95	39,90	4,15	20,0
21,0									18,86	3,55	36,20	3,70	21,0
22,0											32,00	3,35	22,0
23,0											27,20	3,00	23,0
24,0											21,00	2,65	24,0
25,0											10,80	2,40	25,0
26,0													26,0
mini	0,00	13,70	0,00	8,77	0,00	5,87	0,00	4,39	0,00	3,00	0,00	2,15	mini





TEREX

AC55-1

CE

55 METRIC TONS

						Mode 1		100 AC
--	--	--	--	--	--	-----------	--	-----------

	T2 = 93% T3 = 93% T4 = 93% T5 = 0%		T2 = 100% T3 = 100% T4 = 100% T5 = 0%		
	31 m / (4)*		32,6 m / (4)*		
	80,54	18,30	80,54	16,60	
3,0					3,0
3,5					3,5
4,0					4,0
4,5					4,5
5,0	80,63	18,30			5,0
6,0	78,57	18,00	78,81	16,60	6,0
7,0	76,50	16,30	76,98	15,50	7,0
8,0	74,53	14,90	75,04	14,20	8,0
9,0	72,47	13,50	73,20	12,95	9,0
10,0	70,40	12,35	71,26	11,85	10,0
11,0	68,33	11,40	69,33	10,95	11,0
12,0	66,17	10,50	67,39	10,10	12,0
13,0	64,00	9,40	65,35	9,25	13,0
14,0	61,83	8,40	63,21	8,30	14,0
15,0	59,57	7,55	61,18	7,45	15,0
16,0	57,20	6,70	59,04	6,70	16,0
17,0	54,83	5,95	56,80	5,95	17,0
18,0	52,37	5,30	54,56	5,35	18,0
19,0	49,80	4,75	52,23	4,75	19,0
20,0	47,13	4,30	49,79	4,30	20,0
21,0	44,37	3,85	47,35	3,85	21,0
22,0	41,30	3,45	44,71	3,45	22,0
23,0	38,13	3,10	41,98	3,10	23,0
24,0	34,77	2,80	39,04	2,80	24,0
25,0	31,00	2,50	35,80	2,50	25,0
26,0	26,63	2,25	32,36	2,25	26,0
27,0	21,47	2,00	28,53	2,00	27,0
28,0	14,30	1,80	24,09	1,80	28,0
29,0			18,45	1,60	29,0
30,0			8,91	1,40	30,0
32,0					32,0
mini	0,00	1,45	0,00	1,15	mini








TEREX

AC55-1

CE

55 METRIC TONS

		11t6			10,3m → 40m		≤ 40m		Mode 2		100 AC
---	---	------	---	---	-------------	--	-------	---	-----------	---	-----------

	T2 = 0% T3 = 0% T4 = 0% T5 = 0%		T2 = 0% T3 = 16% T4 = 16% T5 = 16%		T2 = 0% T3 = 31% T4 = 31% T5 = 31%		T2 = 0% T3 = 47% T4 = 47% T5 = 47%		T2 = 0% T3 = 62% T4 = 62% T5 = 62%		T2 = 0% T3 = 78% T4 = 78% T5 = 78%		
	10,3 m / (12)*		13,8 m / (5)*		17,2 m / (5)*		20,8 m / (5)*		24,1 m / (4)*		27,7 m / (4)*		
													
	80,54	51,20	80,54	13,51	80,54	13,70	80,54	14,01	80,54	14,47	80,54	14,65	
3,0	63,20	51,20	70,90	14,70	74,45	14,45	77,17	14,50					3,0
3,5	59,90	47,25	68,66	15,05	72,70	14,75	75,70	14,75	78,12	15,05			3,5
4,0	56,40	42,75	66,41	15,40	71,05	15,00	74,33	15,00	76,86	15,30			4,0
4,5	52,80	38,50	64,17	15,85	69,31	15,35	72,86	15,25	75,70	15,55	78,90	15,60	4,5
5,0	48,90	36,00	61,83	16,40	67,56	15,70	71,49	15,55	74,44	15,90	77,80	15,95	5,0
6,0	40,10	31,40	56,94	17,65	63,96	16,50	68,55	16,25	72,02	16,55	75,60	16,75	6,0
7,0	28,80	27,35	51,66	19,35	60,17	17,50	65,61	17,00	69,49	17,30	73,40	17,15	7,0
8,0			45,87	21,80	56,18	18,75	62,57	17,95	66,97	17,85	71,20	15,65	8,0
9,0			39,29	18,80	52,08	19,10	59,43	18,80	64,45	16,30	68,90	14,30	9,0
10,0			31,20	15,85	47,59	16,15	56,10	16,30	61,73	14,90	66,60	13,10	10,0
11,0			19,41	13,60	42,59	13,85	52,66	14,05	59,00	13,75	64,30	12,10	11,0
12,0					37,10	12,10	49,02	12,25	56,18	12,40	61,90	11,25	12,0
13,0					30,51	10,65	45,08	10,80	53,26	10,95	59,40	10,50	13,0
14,0					21,61	9,45	40,84	9,60	50,14	9,75	56,90	9,80	14,0
15,0							36,10	8,60	46,91	8,70	54,30	8,80	15,0
16,0							30,66	7,70	43,39	7,85	51,60	7,90	16,0
17,0							24,02	6,95	39,67	7,10	48,70	7,15	17,0
18,0							13,58	6,30	35,45	6,40	45,70	6,50	18,0
19,0									30,72	5,85	42,60	5,90	19,0
20,0									25,00	5,35	39,20	5,40	20,0
21,0									17,18	4,90	35,40	4,95	21,0
22,0											31,30	4,55	22,0
23,0											26,50	4,20	23,0
24,0											20,50	3,90	24,0
25,0											10,90	3,60	25,0
26,0													26,0
mini	0,00	13,70	0,00	9,58	0,00	7,26	0,00	5,60	0,00	4,35	0,00	3,30	mini









TEREX

AC55-1

CE

55 METRIC TONS

		11t6					Mode 2		100 AC
---	---	------	---	---	--	---	-----------	---	-----------

	T2 = 0% T3 = 93% T4 = 93% T5 = 93%		T2 = 47% T3 = 93% T4 = 93% T5 = 93%		T2 = 93% T3 = 93% T4 = 93% T5 = 93%		T2 = 100% T3 = 100% T4 = 100% T5 = 100%		
	31 m / (4)*		34,5 m / (3)*		37,9 m / (3)*		40,0 m / (3)*		
									
	80,54	16,40	80,54	13,70	80,54	11,45	80,54	10,00	
3,0									3,0
3,5									3,5
4,0									4,0
4,5									4,5
5,0									5,0
6,0	77,65	16,40	79,17	13,70					6,0
7,0	75,80	14,90	77,75	13,75					7,0
8,0	73,85	13,60	76,12	13,75	77,74	11,45	77,89	10,00	8,0
9,0	72,00	12,60	74,30	12,85	76,49	11,05	76,67	10,00	9,0
10,0	70,05	11,50	72,58	12,10	74,74	10,50	75,44	9,60	10,0
11,0	68,00	10,60	70,75	11,25	73,09	9,80	73,92	9,35	11,0
12,0	66,05	9,90	68,83	10,50	71,45	9,05	72,40	8,70	12,0
13,0	63,90	9,15	67,01	9,90	69,70	8,45	70,88	8,10	13,0
14,0	61,85	8,60	65,18	9,25	68,05	7,85	69,26	7,65	14,0
15,0	59,70	8,05	63,26	8,40	66,31	7,35	67,63	7,10	15,0
16,0	57,45	7,50	61,34	7,65	64,46	6,90	66,01	6,65	16,0
17,0	55,20	7,05	59,31	6,90	62,71	6,45	64,39	6,25	17,0
18,0	52,85	6,55	57,29	6,25	60,86	6,00	62,67	5,90	18,0
19,0	50,40	6,00	55,16	5,70	59,02	5,40	61,04	5,40	19,0
20,0	47,85	5,50	52,94	5,20	57,17	4,90	59,32	4,90	20,0
21,0	45,10	5,05	50,72	4,75	55,22	4,45	57,50	4,45	21,0
22,0	42,25	4,65	48,39	4,35	53,18	4,10	55,68	4,05	22,0
23,0	39,20	4,30	45,97	4,00	51,13	3,70	53,86	3,70	23,0
24,0	35,85	3,95	43,45	3,65	49,08	3,40	51,93	3,40	24,0
25,0	32,20	3,65	40,82	3,35	46,84	3,10	49,91	3,10	25,0
26,0	27,95	3,40	38,00	3,10	44,59	2,85	47,99	2,85	26,0
27,0	22,80	3,15	34,88	2,85	42,24	2,60	45,87	2,60	27,0
28,0	15,75	2,90	31,55	2,60	39,69	2,35	43,64	2,35	28,0
29,0			27,83	2,40	37,05	2,15	41,42	2,15	29,0
30,0			23,41	2,20	34,20	1,95	39,00	1,95	30,0
32,0			8,06	1,90	27,71	1,65	33,76	1,60	32,0
34,0					19,11	1,35	27,51	1,30	34,0
36,0							19,37	1,05	36,0
38,0									38,0
mini	0.00	2,55	0.00	1,65	0.00	0,95	0.00	0,65	mini

